

Deaths from COVID-19 disease in Scotland: Scenarios to support accurate death certification and reporting to Crown Office & Procurator Fiscal Service

This Scottish guidance has been produced by the team at the Death Certification Review Service, part of Healthcare Improvement Scotland. It is based on documents published by the Crown Office and Procurator Fiscal Service (COPFS)¹ and the Chief Medical Officer^{2, 3, 5, 6}.

A doctor must complete the Medical Certificate of Cause of Death (MCCD) to the best of their knowledge and belief, taking into account all the clinical evidence they have available. As COVID-19 is a new disease, this guidance may evolve over time.

The World Health Organisation (WHO) has confirmed that for the purposes of the International Classification of Diseases (ICD), the official name of the disease is Coronavirus disease (COVID-19).

The official name of the Virus by the International Committee on Taxonomy of Viruses (ICTV) is Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-CoV-2). Therefore, COVID-19 disease or SARS-CoV-2 infection on the MCCD are acceptable, however the preferred wording on the MCCD is "COVID-19 disease". This is an acceptable abbreviation.

SARS-CoV-2 is a notifiable organism and COVID-19 disease is a notifiable disease.



Reporting of some COVID-19 deaths to the COPFS

The Scottish Government confirmed that deaths due to COVID-19 disease or SARS-CoV-2 infection or presumed COVID-19 disease or SARS-CoV-2 infection do not require reporting to the Procurator Fiscal (PF) unless a person has COVID-19 or presumed COVID-19 but the death falls under another category defined by section 3 of the COPFS guidance to medical practitioners.

For hospital deaths which may be considered could cause public anxiety (for example outbreaks of COVID-19 in hospital wards) the medical practitioner should discuss the death with the Health Board's infection control team or other senior clinician, prior to reporting to the Procurator Fiscal.

Completing the Hazards section DH1 of the Medical Certificate of Cause of Death (MCCD)

As SARS-CoV-2 is infectious and COVID-19 is a notifiable disease, in acute infections the body of the deceased may pose a risk to those handling the body after death. As such, the DH1 box must be ticked.

For how long after contracting COVID-19 does the body continue to pose a risk to public health?

The duration that a person remains infectious and able to transmit coronavirus is uncertain. It is likely that transmission of SARS-CoV-2 is maximal in the first week of illness⁴, however it is not yet known how long a body remains infectious. Current CMO guidance is that if COVID-19 is on the certificate as a cause of death, the hazards box DH1 should be ticked, this includes deaths not related to COVID-19 although testing positive for the virus within 28 days of the death⁵.

Whether the body of a person who has died after having COVID-19 disease remains a risk to others is a matter of clinical judgement for the certifying doctor.

A doctor must complete the Hazards section of the MCCD to the best of their knowledge and belief. It is advisable to be prudent. If in doubt, the doctor can discuss the case with the local Public Health team to seek their guidance.



Scenarios

Scenario 1 Amelia

Amelia was a frail 85y old lady who was mobile around her residential home and cognitively intact. She developed COVID-19 and was confined to bed.

After two weeks she improved but required assistance to walk short distances. For two months, despite rehabilitation she was largely confined to a chair and then latterly her bed.

For the last month of her life she ate less and less. She was unable to eat or drink anything for a week before she died.



A suggested sequence

1α	Increasing physical frailty and reduced mobility	2 months
1b	COVID-19 Disease	3 months

Clinical Reasoning

In this case, the certifying doctor judges that the In this case COVID-19 has resulted in this lady's death by causing her stepwise deterioration from the time of her initial infection.

Procurator Fiscal

As this is a case of COVID-19 contracted in a residential or care home, no reporting to the Procurator Fiscal is necessary for that reason alone. However, if one of the other reportable reasons in paragraph 3 (of the criteria for reporting to the PF) is fulfilled then reporting is required on that basis in the usual way.

DH1 Hazard

Current CMO guidance is that if COVID-19 is on the certificate as a cause of death, the hazards box DH1 should be ticked. This includes deaths not related to COVID-19 although testing positive for the virus within 28 days of the death.

A clinical judgement must be made as to whether the body still poses a risk to those handling the body after death. If in doubt, the doctor can discuss the case with the local Public Health team to seek their guidance.

Scenarios

Scenario 2 Angus

Angus was a 48 year-old labourer who was overweight with a BMI of 34 but no other health problems.

He developed COVID-19 at home and was admitted with increasing shortness of breath. After 3 days he developed an increasing oxygen requirement and was moved to ICU. He had routine thromboprophylaxis. He remained stable over a week, but suddenly deteriorated. CTPA confirmed a large saddle pulmonary embolus and despite treatment, he sadly died.

His family had no concerns about the care provided and were grateful to the staff.



A suggested sequence



Clinical Reasoning

In this case, the certifying doctor judges that the pulmonary embolism occurred as a known risk of having severe Covid-19. They believe that Angus' obesity had contributed to his death from COVID-19, hence it appears in part 2 as a contributor.

Pulmonary embolism has been identified separately in 1a with Covid-19 as an underlying condition.

Procurator Fiscal

There is nothing in this case that appears to require a report to the Procurator Fiscal.

DH1 Hazard

In such an acute infection, the DH1 box should be ticked.

Scenarios

Scenario 3 Mabel

Mabel was an 88y old lady who was an in-patient in a long term NHS care ward. She had advanced mixed Alzheimer's and vascular dementia. She required hoisting for all care. She developed a fever of 38.2 and a mild cough. She was breathless with oxygen saturations on air of 88%.

Sadly, she deteriorated rapidly and died the next afternoon. There were three other proven COVID-19 cases in the ward. The COVID swab that was taken from her was accidentally mislaid.

A suggested sequence

1a Su	ispected COVID-19 disease	2 days
Part 2	Mixed Alzheimer's and vascular dementia	5 years

Clinical Reasoning

In this case, the certifying doctor judges that COVID-19 was the most likely direct cause of death due to the clinical features and other cases in the ward. Without a swab to confirm the diagnosis, they use a qualifier (Suspected / Probable etc.) to convey that this is their best clinical judgement of the cause of death.

They judge that her dementia is a contributor to the death in Part 2.



As this is suspected case of nosocomial COVID-19 contracted as part of an outbreak in a ward, discussion with the Health Board infection control team or senior clinician is required to establish whether this outbreak/death may cause public anxiety. If it is a cause for public anxiety, the death should be reported to the PF.*

DH1 Hazard

DH1 Hazards: As an acute suspected case of COVID-19, the DH1 box should be ticked "yes".

*A case of nosocomial infection by itself is not a reason to report to the PF unless any of the additional categories in section 3 of the COPFS guidance to medical practitioners are present. When reporting, the clinician must be able to detail the areas of concern raised by either medical staff or next of kin in respect of the infection control measures in place at the relevant time. Medical practitioners should be clear on which category they believe applies to the case and specify this in the report to the Procurator Fiscal.

References

 Crown Office and Procurator Fiscal Service. Reporting deaths to the procurator fiscal. Information and guidance for medical practitioners. 2019.

https://www.copfs.gov.uk/investigating-deaths/deaths

- Chief Medical Officer. Re: Updated Guidance to Medical Practitioners for Death Certification during the COVID-19 Pandemic. 2020. https://www.sehd.scot.nhs.uk/cmo/CMO(2020)15.pdf
- 3 Chief Medical Officer. Guidance for doctors completing medical certificates of the cause of death (MCCD) and its quality assurance. 2018.

https://www.sehd.scot.nhs.uk/cmo/CMO(2018)11.pdf

- Cevik M, Kuppalli K, Kindrachuk J and Peiris M. Virology, transmission, and pathogenesis of SARS-CoV-2. BMJ 2020;371:m3862.
 https://doi.org/10.1136/bmj.m3862
- 5 Chief Medical Officer. Re: Updated guidance to medical practitioners for death certification and reporting deaths to the Procurator Fiscal during the COVID-19 pandemic. 2022. https://www.sehd.scot.nhs.uk/cmo/CMO(2022)17.pdf
- 6 Chief Medical Officer. Re: Updated guidance to medical practitioners for Death Certification and reporting deaths to the Procurator Fiscal during the recovery from COVID-19 disease pandemic. 2022. https://www.sehd.scot.nhs.uk/cmo/CMO(2022)40.pdf

Further Information & Useful Links

Healthcare Improvement Scotland - Death Certification Review Service

Phone: 0300 123 1898

Email: his.dcrs@nhs.scot

HIS webpage:

https://www.healthcareimprovementscotland.scot/ inspections-reviews-and-regulation/death-certificationreview-service-dcrs/

NHS Education for Scotland Support Around Death website

Educational resources & information on:

Death certification http://www.sad.scot.nhs.uk/atafter-death/ deathcertification/

The Scottish MCCD Review process http://www.sad.scot.nhs.uk/atafter-death/thescottishmccd-review-process/



NESD1807 | © NHS Education for Scotland 2024.

You can copy or reproduce the information in this document for use within NHSScotland and for non-commercial educational purposes. Use of this document for commercial purposes is permitted only with the written permission of NES.